

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

Claim 1 (previously cancelled)

Claim 2 (currently amended) In a multicast network, a method comprising:

at a first host, wherein the first host is an endpoint of the multicast network that receives one or more packets addressed to a multicast group address:

receiving indicia that a second host is actively sourcing one or more packets addressed to a multicast group address, wherein the second host is an endpoint of the multicast network;

issuing a join command to the one or more network devices in an attempt to join the multicast group address;

determining whether any packets are received within a designated time period after the step of issuing a join command; and

if any packets are received by the first host within the designated time period, determining that the first host is joined to the multicast group address; otherwise, if any packets are not received by the first host within the designated time period, determining that the first host is not joined to the multicast group address ~~and whereby the method is independent of the multicast network.~~

Claim 3 (previously presented): The method of claim 2, wherein the packet is one of a test packet and a payload packet.

Claim 4 (previously presented): The method of claim 3, wherein the payload packet comprises any one of an audio payload, a data payload, a video payload, and a multimedia payload.

Claim 5 (previously presented): The method of claim 2 further comprising the step of receiving at least one test packet before receiving a payload packet.

Claim 6 (previously presented): The method of claim 2 comprising the step of receiving a call grant message comprising the multicast group address.

Claim 7 (previously cancelled)

Claim 8 (previously cancelled)

Claim 9 (previously presented): The method of claim 2, wherein the step of issuing a join command comprises, sending an IGMP Join message to one or more network devices.

Claim 10 (previously presented): The method of claim 2 further comprising the step of, if the first host is determined to not be joined to the multicast group address,

issuing a leave command to the one or more network devices; and

re-attempting to join the multicast group address, comprising the steps of:

issuing a second join command to the one or more network devices in a second attempt to join the multicast group address;

determining whether any packets are received within a designated time period after the step of issuing a second join command; and

if any packets are received within the designated time period, determining that the first host is joined to the multicast group address; otherwise, if any packets are not received within the designated time period, determining that the first host is not joined to the multicast group address.

Claim 11 (previously presented): The method of claim 10, wherein the step of issuing a leave command comprises, sending an IGMP Leave message to one or more network devices.

Claim 12 (previously presented): The method of claim 2, wherein the step of determining whether any packets are received within a designated time period comprises the steps of:

- starting a timer having a predetermined expiration time; and
- determining whether any packets addressed to the multicast group address are received by the first host before the predetermined expiration time.

Claim 13 (previously cancelled)

Claim 14 (previously presented): The method of claim 15 further comprising, if the second host is determined to not be joined to the first multicast group address, issuing, by the second host, a leave command to the one or more network devices; and re-attempting to join the first multicast group address, comprising:

- issuing, by the second host, a second join command to the one or more network devices in a second attempt to join the first multicast group address;

- determining whether any packets are received by the second host within a designated time period associated with the second attempt; and

- if any packets are received by the second host within the designated time period, determining that the second host is joined to the first multicast group address; otherwise, if any packets are not received by the second host within the designated time period, determining that the second host is not joined to the first multicast group address.

Claim 15 (currently amended): In a multicast network, a method comprising:
sending, from a controller to a first and second host desiring to participate in a point-to-point call, a first and second multicast group address, wherein the first and second host are endpoints of the multicast network that source and receive one or more packets addressed to multicast group addresses;

sending, from the first host to one or more network devices, one or more packets addressed to the first multicast group address;

issuing, by the second host, a join command to the one or more network devices in an attempt to join the first multicast group address;

determining whether any packets are received by the second host within a designated time period associated with the attempt; and

if any packets are received by the second host within the designated time period, determining that the second host is joined to the first multicast group address; otherwise, if any packets are not received by the second host within the designated time period, determining that the second host is not joined to the first multicast group address;

sending, from the second host to one or more network devices, packets addressed to the second multicast group address;

issuing, by the first host, a join command to the one or more network devices in an attempt to join the second multicast group address;

determining whether any packets are received by the first host within a designated time period associated with the attempt; and

if any packets are received by the first host within the designated time period, determining that the first host is joined to the second multicast group address; otherwise, if any packets are not received by the first host within the designated time period, determining that the first host is not joined to the second multicast group address ~~and whereby the method is independent of the multicast network.~~

Claim 16 (previously presented): The method of claim 15 further comprising, if the first host is determined to not be joined to the second multicast group address,

issuing, by the first host, a leave command to the one or more network devices; and re-attempting to join the second multicast group address, comprising:

issuing, by the first host, a second join command to the one or more network devices in a second attempt to join the second multicast group address;

determining whether any packets are received by the first host within a designated time period associated with the second attempt; and

if any packets are received by the first host within the designated time period, determining that the first host is joined to the second multicast group address; otherwise, if any packets are not received by the first host within the designated time period, determining that the first host is not joined to the second multicast group address.

Claim 17 (previously presented): The method of claim 15, wherein the packet comprises one of test packet and payload.

Claim 18 (previously presented): The method of claim 15, wherein the payload comprises any one of an audio payload, a data payload, a video payload, and a multimedia payload.

Claim 19 (previously presented): The method of claim 15, wherein the step of sending packets comprises sending multiple test packets before sending payload.

Claim 20 (previously presented): The method of claim 19, wherein the step of sending packets further comprises sending multiple test packets after sending payload.

Claim 21 (previously presented): The method of claim 15 wherein the step of sending first and second multicast group addresses comprises sending, from a controller to the first and second hosts, call grant messages including the first and second multicast group addresses.

Claim 22 (currently amended): A communication system comprising:
a controller being operable to identify a multicast group address to be used for distributing packet information to participating receiving devices, wherein the participating receiving devices are endpoints of the communication system that source and receive packets on the multicast group address;
a multicast packet network for distributing the multicast group address to the participating receiving devices, the packet network being adapted to set up a multicast distribution tree between participating receiving devices having successfully joined the multicast group address; and
means for determining whether the participating receiving devices have joined the multicast group address based on whether the participating receiving devices receive any packets on the multicast group address before expiration of a designated time period ~~whereby the means for determining is independent of the multicast packet network.~~

Claim 23 (previously presented): The method of claim 2 wherein the first and second hosts are selected from the group consisting of: a portable wireless communication device, a mobile wireless communication device, a wire-line communication device, a wireless console, a wire-line console, a repeater, a site controller, a comparator, a telephone interconnect device, an internet protocol telephony device, a call logger, a scanner and a gateway.

Claim 24 (previously presented): The method of claim 22 wherein the participating host devices are selected from a group consisting of: a portable wireless communication device, a mobile wireless communication device, a wire-line communication device, a wireless console, a wire-line console, a repeater, a site controller, a comparator, a telephone interconnect device, an internet protocol telephony device, a call logger, a scanner and a gateway.